QUOTATION NO 504LP-2024

Quotation list the equipment needed to properly requalify cylinders and other vessels that require a pressure test by the "proof test" method to U.S. DOT requirements

Please see last page for important Training-Licensing and Leasing Information

Part No.	Please see last page for important Training-Licensing and Lease Description	Price
504-LP	Proof Test Pump Station	\$ 11,600.00
<u> 504-L1</u>	Automated "Proof Test" System Hydrostatic Test System Designed to Automate	\$ 11,000.00
	the Proof Test Procedure When Re-Qualifying Cylinders That Do Not Require A	
	Volumetric Expansion.	
	Features:	
	Meets DOT and ISO specifications	
	• Test pressure range of 100 - 1450 psi	
	Pneumatic operated test pump	
	Automated Hydro-Test software	
	Allows for easy input - printing and storing of all test data	
	Verification daily operation included	
	• Fully sortable history screen, allows for export to popular software tables	
	• Easy to read dial Master Gauge (0-1500psi x 2psi increments)	
	• Small cabinet size: 65"H x 26"D x 22"W	
	Cabinet mounted on wheels for easy mobility	
	Hardware includes Laptop and Printer	
	Bluetooth communication protocol	
	Ability to operate automated or manually	
100-298	Set of Test Adapters	735.00
100-297	Set of (3) Test Adapters for Fire Suppression System Cylinders	325.00
	• 2" Male x 8TPI (Kidde & Pyro-Chem dry powder)	
	• 2" Female x 8TPI (Range Guard)	
	• 1.5" Male x 8TPI (Pyro-Chem wet chemical)	
	 Includes 3 quick disconnect nipples 	
300-052	Safety Test Cage for Proof Testing of Cylinders	685.00
	Designed for proof testing of cylinders up to 46" tall such as fire extinguisher	
	system cylinders and larger fork lift Propane tanks.	
	Features:	
	Steel construction	
	• 18" Square x 48" Tall	
	 Mesh steel side wall for easy viewing of cylinder under test 	
	 Slotted top for insertion of test hose 	
	Hinged door with dual safety latch clasp	
<u>510-010</u>	Pneumatic Operated Vise Station	2,100.00
	• Air Operated (60 psi)	
	Rubber Belted to Protect Cyls.	
	Accepts Cyls. to 14" Diameter	
	Adjustable / Removable Shelf Plate	
	• 24" Square Steel Base Plate	
<u>530-020-Y</u>	Cylinder Dryer	2,250.00
	Heavy Duty Design	
	115VAC Electrical	
	Six Cylinder Capacity	
	Stainless Steel Heating Element	
	Designed for Cyls. Under 36" Tall	





		Page 2
<u>69-099</u>	Internal Cylinder Inspection Light	335.00
	 Long life LED for complete illumination of cyls. 	
	• 13.5" Length of wand	
	 Warm white LEDs best simulate incandescent light 	
	 Low voltage for use in hazardous locations 	
69-058	Inspection Mirror for Cylinder Threads (3/8" diameter)	21.00
69-050	Combination Dial Caliper & Pit Gauge	54.00
	• 2 tools in one	
	 Allows measuring of pits/gouges as required by CGA C-6 pamphlet 	
	Allows measuring of valves and test adapters	
	Steel construction	
	Easy to read dial gauge	
393-003	Test Record Forms (50 sheets/pad)	10.50
393-025	Test Labels	68.00
	 Meet NFPA #10 specifications 	
	• Roll of 500	
	Imprinted with up to 5 lines	
393-350	NFPA #10	175.00
	Servicing of Portable Fire Extinguishers Pamphlet	
393-012	Label for Marking of DOT Spec. Fire Extinguisher Cylinders	10.25
	• Roll of 50	
	• 2" x 1.25" in Size	
	 Mylar Coated - Self Destruct Feature 	
393-301	C.G.A. Pamphlet (C-1)	199.00
·	Methods of Hydrostatic Testing	
<u>393-306</u>	C.G.A. Pamphlet (C-6)	127.00
	Visual Inspection of Steel Compressed Gas Cylinders	
393-185	DOT Title 49 Parts 100-185	59.00

Subtotal: \$18,753.75

Utilities Required to Operate Equipment:

Stable and consistent air and water temperatures
 Inlet water supply
 115V-20amp electrical (3 drops)

• 8CFM of 100 psi pre regulated shop air (2 drops)

Terms: Discount is available with prepayment terms (please contact our sales office for details)

F.O.B: Stow, Massachusetts, USA, all freight cost are the responsibility of the purchaser.

We will be pleased to offer delivered pricing upon request.

Delivery: Typically ship in 6 weeks

Valid: Prices are subject to change without notice

Warranty: All Hydro-Test Products manufactured equipment is warranted for a period of 12 months

under normal usage, commencing after receipt of order. For items not manufactured by Hydro-Test Products the original manufacturer's warranty shall be in effect. Consumable items such as O-rings, Seals, Valves, etc... are warranted for 30 days under normal

usage. All warrantee work is provided F.O.B. Stow, Massachusetts, USA.

Packaging: Best commercial packaging is included in the pricing. If export crating or other

specialized or unique packaging is required an additional charge may apply.





Thank you for the opportunity to offer this quotation. To see pictures on the above products, please click on the **part no's** and you will be redirected to those items.

You can download our complete catalog at this link

Best regards,

Jon Gorman

Jon Gorman

Hydro-Test Products Inc.

Important Informational Links:

- 1) Please <u>click here for a list of Independent Inspection Agencies</u> (IIA) for the U.S. Department of Transportation. To requalify cylinders in the USA, or operate outside of the USA and be DOT certified, an inspection of your facility is required after equipment is installed & operational and training has been completed.
- 2) Please <u>click here for information regarding the training and licensing requirements</u> for Transport Canada (TC). To requalify cylinders in Canada, or operate outside of Canada and be TC certified, an inspection of your facility is required after equipment is installed & operational and training has been completed.
- 3) <u>Browse all of our training opportunities</u>. We offer operational and DOT required hazmat for cylinder re-qualifiers in various ways. Here is a <u>Training Development Guide</u> to help determine the best training option for your company and employees.
- 4) Leasing of our equipment is available through www.dicapcredit.com. Use this Leasing Calculator to calculate what your monthly cost will be when leasing through Diversified Capital Credit. Due to special arrangements made between Hydro-Test and DC, when you lease through them, you will receive a prepayment discount.

Frequently Asked Questions:

- (Q) Is the equipment difficult to operate?
- (A) The test system has been designed for easy operation. Test procedure can be mastered in ½ day
- (Q) Do I need to travel to Hydro-Test's facility in Massachusetts to receive training?
- (A) As an option we can provide a quotation for on-site training at your facility. Hydro-Test has technicians that travel extensively around the world installing and providing training on our equipment. The training provided at Hydro-Test in Stow, Massachusetts is included in the price of the test system.
- (Q) How Many Cylinders Can I Test in 1 Day?
- (A) This is a difficult question to answer as much depends on the operator, type(s) of cylinders, number of operators and more. Typically 1 operator testing portable size cylinders (i.e. 20Lb CO2, SCUBA, SCBA) should be able to test 6-8 cylinders per hour (48-64 per day) on a manual operated system. Typically an automated test system will increase the output by 25%
- (Q) Are there any additional cost involved?



(A) Initially, in the USA, there is a fee for the DOT inspection. Pressure gauge recalibration is required every 6 months (~\$170.00 / year). Consumable test system parts, o-rings, seals, valves ..., are typically \$100.00 - \$300.00 per year depending on your testing volume.

